



Endt No. TQ(1)5840/2022

Directorate of Agricultural Development and  
Farmers' Welfare Department, Vikas Bhavan,  
Thiruvananthapuram, Kerala. Date:05-06-2023.

The following amendments in License No. PD 2/2018 dated: 01-09-2021 issued to **M/s. JYOTHY LABS LIMITED**, Building No. XVI/672, of Vadakarapathy Grama Panchayat, Velanthavalam Road, Nalloor, Kozhippara P O, Palakkad - 678 557 is effected as detailed below with the same terms and conditions specified in the main licence.

The following products added and amended as per Endorsement:

Sl No	Particulars of the Insecticide	Number of Certification of Registration	Date of grant of Licence	Validity of Licence wherever applicable (ML/DL/PC Validity)
1	2	3	4	5
<b>Manufacturer : M/s. Jyothy Labs limited</b>				
<b>Distributor : M/s. Jyothy Labs limited</b>				
1	Transfluthrin 0.88% Liquid Vaporiser	CIR-63104/2009 Transfluthrin (LV) (302)-86	04-08-2009	Permanent
2	D-trans Allethrin 0.1% Mosquito coil (8 hrs Min.)	CIR-37719/2002 D-trans Allethrin (HH)-690	19-03-2020	"
3	Transfluthrin 0.88% Liquid Vaporiser	CIR-63104/2009 Transfluthrin (LV) (302)-86	29-03-2008	"
4	Transfluthrin 1.6% w/w Liquid Vaporiser	CIR-66449/2011 Transfluthrin (LV) (318)-114	29-03-2008	"
5	D-trans Allethrin 0.1% Mosquito Coil (8hrs Min.)	CIR-131354/2015 D-trans Allethrin (Mosquito Coil)(354)-70	"	"
6	D-trans Allethrin 0.1% w/w Mosquito Coil (11hrs Min.)	CIR-131356/2015 D-trans Allethrin ( Mosquito Coil)(354)-71	"	"
7	D-trans Allethrin 0.1% Mosquito Coil (6hrs Min.)	CIR-131861/2016 D-trans Allethrin ( Mosquito Coil)(354)-75	"	"
8	Prallethrin 0.04% w/w Mosquito Coil (6hrs Min.)	CIR-129808/2015 Prallethrin (Mosquito Coil)(353)-119	"	"
9	Prallethrin 0.04% w/w Mosquito Coil (11hrs Min.)	CIR-130567/2015 Prallethrin (Mosquito Coil)(354)-134	"	"

10	Prallethrin 0.04% w/w Mosquito Coil (6hrs Min.)	CIR-133680/2016 Prallethrin (Mosquito Coil)(354)-144	29-03-2008	Permanent
11	Prallethrin 0.04% w/w (Mosquito Coil)	CIR-196237/2021 Prallethrin Mosquito Coil (434)-211	"	"
12	D-trans Allethrin 0.1% Mosquito coil	CIR-37719/2002 D-trans Allethrin (HH)-690	"	"
13	D-trans Allethrin 0.1% Mosquito Coil (6hrs Min.)	CIR-131861/2016 D-trans Allethrin ( Mosquito Coil)(354)-75	30-03-2011	"
14	D-trans Allethrin 0.1% Mosquito Coil (8hrs Min.)	CIR-131354/2015 D-trans Allethrin (Mosquito Coil)(354)-70	"	"
15	D-trans Allethrin 0.1% w/w Mosquito Coil (11hrs Min.)	CIR-131356/2015 D-trans Allethrin ( Mosquito Coil)(354)-71	"	"
16	Prallethrin 0.04% w/w Mosquito Coil (11hrs Min.)	CIR-130567/2015 Prallethrin (Mosquito Coil)(354)-134	"	"
17	Prallethrin 0.04% w/w Mosquito Coil (6hrs Min.) Green	CIR-129808/2015 Prallethrin (Mosquito Coil)(353)-119	"	"
18	Prallethrin 0.04% w/w Mosquito Coil (6hrs Min.) Red	CIR-133680/2016 Prallethrin (Mosquito Coil)(354)-144	29-03-2008	"
19	Transfluthrin 1% FU	CIR-124281/2015 Transfluthrin (FU) (353)-76	19-03-2020	"
20	Transfluthrin 0.88% Liquid Vaporiser	CIR-63104/2009 Transfluthrin (LV) (302)-86	12-07-2019	"
21	Transfluthrin 1.6% w/w LV	CIR-66449/2011 Transfluthrin (LV) (318)-114	"	"
22	D-trans Allethrin 0.1% Mosquito coil	CIR-37719/2002 D-trans Allethrin (HH)-690	29-03-2008	"
23	D-trans Allethrin 0.1% Mosquito Coil (6hrs Min.)	CIR-131861/2016 D-trans Allethrin ( Mosquito Coil)(354)-75	19-03-2020	"
24	D-trans Allethrin 0.1% Mosquito Coil (8hrs Min.)	CIR-131354/2015 D-trans Allethrin (Mosquito Coil)(354)-70	"	"
25	D-trans Allethrin 0.1% w/w Mosquito Coil (11hrs Min.)	CIR-131356/2015 D-trans Allethrin ( Mosquito Coil)(354)-71	"	"
26	Prallethrin 0.04% Mosquito Coil (6hrs Min.) Red	CIR-133680/2016 Prallethrin (Mosquito Coil)(354)-144	"	"
27	Prallethrin 0.04% Mosquito Coil (11hrs Min.)	CIR-130567/2015 Prallethrin (Mosquito Coil)(354)-134	"	"
28	Prallethrin 0.04% Mosquito Coil (6hrs Min.) Green	CIR-129808/2015 Prallethrin (Mosquito Coil)(353)-119	"	"
29	D-trans Allethrin 0.1% w/w Mosquito Coil	CIR-63327/2009 D-trans Allethrin (Mosquito Coil) (303)-1422	18-07-2002	"

30	D-trans Allethrin 0.1% w/w Mosquito Coil	CIR-52452/2006 D-trans Allethrin (Mosquito Coil)(260)-1142	18-07-2002	Permanent
31	D-trans Allethrin 0.1% w/w Mosquito Coil	CIR-130327/2015 D-trans Allethrin (Mosquito Coil) (354)-68	"	"
32	Prallethrin 0.05% Mosquito Coil	CIR-52453/2006 Prallethrin (Mosquito Coil)(260)-370	"	"
33	Prallethrin 0.04% w/w Mosquito Coil (Min.11 hrs)	CIR-126715/2015 Prallethrin (Mosquito Coil)(353)-107	"	"
34	Prallethrin 0.04% w/w Mosquito Coil (Min.6 hrs)	CIR-126906/2015 Prallethrin (Mosquito Coil)(353)-109	"	"
35	Prallethrin 0.04% w/w Mosquito Coil	CIR-126716/2015 Prallethrin (Mosquito Coil)(353)-108	"	"
36	D-trans Allethrin 0.1% w/w Mosquito Coil (6 Hrs Min)	CIR-128810/2015 D-trans Allethrin (Mosquito Coil)(353)-66	26-05-2007	"
37	Prallethrin 0.04% w/w Mosquito Coil (Min. 6 Hrs)	CIR-163336/2019 Prallethrin (Mosquito Coil)(399)-164	"	"
38	D-trans Allethrin 0.1% w/w Mosquito Coil (12 hr Min.)	CIR-56523/2007 D-trans Allethrin (Mosquito Coil)(274)-1269	"	"
39	Prallethrin 0.04% w/w Mosquito Coil (Min.11 hrs)	CIR-163335/2019 Prallethrin (Mosquito Coil) (399)(163)	"	"

Place: Thiruvananthapuram,  
Date: 05-06-2023.



Signature of the Licensing Officer

ASSTANT DIRECTOR OF AGRICULTURE (PP)  
DIRECTORATE OF AGRICULTURE  
VIKAS BHAVAN, TR.VANDRUM

To

**Sri. Krishnanunni**  
M/s. Jyothy Labs Limited  
Building No. XIV/672,  
Velanthavalam Road,  
Nalloor, Kozhippara P O,  
Palakkad - 678 557  
Phone: 9847036169  
E-mail: info@jyothy.com

Copy to:

All Deputy Director of Agriculture(E&T).  
IT Cell for publishing in website.