

## **GOVERNMENT OF KERALA**

## AGRICULTURE DEVELOPMENT FARMERS'WELFARE DEPARTMENT STATE PESTICIDE TESTING LABORATORY THIRUVANANTHAPURAM-695015

Email-id-ddaptl.agri@gmail.com Phone No.0471-2530867

## **QUOTATION NOTICE**

Sealed quotations are invited from authorized dealers for the supply of Glasswares listed below for the requirement of this laboratory.

| Quotation Number & date   | PT (1)80/Q1/2020, dt.08.09.2020   |  |  |
|---|---|--|--|
| Due Date and Time for receipt of quotations                                 | 23.09.2020, 11.00AM   |  |  |
| Date and Time for opening of quotations                                     | 23.09.2020, 11.30AM   |  |  |
| Date up to which the rates are to remain firm for acceptance                | 31-03-2021  |  |  |
| Designation and address of officer to whom the quotation is to be addressed | Deputy Director of Agriculture Cum<br>Senior Chemist, State Pesticide<br>Testing Laboratory, Parottukonam,<br>Nalanchira PO,<br>Thiruvananthapuram-695015 |  |  |
| Superscription: Quotation for the Supply of Glasswares                      |   |  |  |

Lists of Glasswares to be supplied

| SL No   | Name of item   | Specification                  | Quantity Required                   |             |   |                |                         |
|---------|--|--------------------------------|-------------------------------------|-------------|---|----------------|-------------------------|
| 1 2 3 4 | Volumetric Flask(Borosilicate)  Volumetric Flask(Borosilicate)  Volumetric Flask(Borosilicate)  Volumetric Flask(Borosilicate) | 25ml<br>50ml<br>100ml<br>250ml | 10 Nos<br>10 Nos<br>20 Nos<br>2 Nos |             |   |                |                         |
|         |  |                                |                                     | 5           | Pipette(Borosilicate)   | 1ml            | 5 Nos                   |
|         |  |                                |                                     | 6<br>7<br>8 | Pipette(Borosilicate)  Round Bottom Flask with spout(Borosilicate)  Burette(Borosilicate)  CS2 Assembly | 2ml 500ml 50ml | 5 Nos 2 Nos 5 Nos 2 Nos |
|         |  |                                |                                     |             |   |                |                         |
| 10      | Soxhlet Apparatus  |                                | 2 Nos                               |             |   |                |                         |

## **Special Conditions**

- (1) The cover in which the quotation is kept should be superscribed as 'Quotation for the Supply of Glasswares' and should be sealed with full address of the firm noted on the cover.
- (2) Quotation will be received up to 23.09.2020, 11.00 AM.
- (3) Quotation will be opened at 11.30AM on 23.09.2020 in the presence of quotationers present if any, at that time.
- (4) Purchase will be strictly in accordance with store purchase rules and the items should be supplied within 1 month from receipt of supply order.
- (5) The rates should be inclusive of GST, loading, unloading and transportations Charges
- (6) All rules and regulation concerned to government quotation will be applicable here also.
- (7) The under signed has the full authority to accept or reject any of the quotations without any reason thereof.

Copy to-

- 1. Notice Board of this office
- 2. Notice board of office of:
  - 1. Central Soil Plant Health Centre
  - 2. Mobile Soil Testing laboratory
  - 3. Krishi Bhavan, Ulloor
  - 4. State Seed Farm, Ulloor
  - 5. Fertilizer Quality Control Laboratory
  - 6. Directorate of Agriculture Development
  - & Farmers' Welfare Department (For publishing Dept. Website)

Deputy Director of Agriculture
Cum Senior Chemist
Pesticide Testing Laboratory
Parottukonam, Nalanchira P.O.
Thiruvananthapuram-15.

