

GOVERNMENT OF KERALA AGRICULTURE DEVELOPMENT FARMERS'WELFARE DEPARTMENT STATE PESTICIDE TESTING LABORATORY THIRUVANANTHAPURAM-695015

Email-id-ddaptl.agri@gmail.com/sptltvm.agri@kerala.gov.in Phone No.9383471008

QUOTATION NOTICE

Sealed quotations are invited from authorized dealers/suppliers for the supply of Glasswares listed below for the requirement of this laboratory.

Quotation Number& date	PT(1)184/Q2/2023, dt.16.10.2023	
Due Date and Time for receipt of quotations	30.10.2023, 10.00AM	
Date and Time for opening of quotations	30.10.2023, 10.30AM	
Date up to which the rates are to remain firm for acceptance	31-03-2024	
Designation and address of officer to whom the quotation is to be addressed	Deputy Director of Agriculture, State Pesticide Testing Laboratory, Parottukonam, Nalanchira PO, Thiruvananthapuram-695015	

Lists of Glasswares to be supplied

SL No	Name of item	Specification		Quantity Required (approximate)	Remarks
1	Bottle Top Dispenser	0.5-10ml		1 Nos	
2	Bulb for Pipette	Large		10 Nos	12-12-1
3	Conical Flask	500ml Borosilicate, Class A Calibrated	of area	5 Nos	
4	Crow Jar	100ml Graduated Borosilicate, Class A Calibrated		2 Nos	
5	Gas washing Glass Bottle	250ml Graduated Borosilicate, Class A Calibrated		4 Nos	
6	Glass Cleaning Solution	1		5 Litres x 3 Bottles	

7	Lab Coat	44 inches	20 Nos	
8	Lab Eye Wash Unit	Wall mounted with push Valve and powder coated GI Pipe	1 Nos	Rate Including installation
9	Laboratory Jack	30cm x 30cm Stainless Steel	5 Nos	
10	Mask	N95 Mild on skin with ultra-soft inner fabricEasy breathing, speaking & optimum protection with >2.5 PM filtrationHypoallergenic fabric, soft elastic ear loops, adjustable nose pin for comfortable and perfect fit	300 Nos	Sample should be supplied along with the quotation
11	Porcelain Mortar	215mm	3 Nos	
12	2 Necked Round Bottom Flask	500ml Borosilicate, Class A Centre Socket-24/29 Side Socket-19/26	3 Nos	T.
13	Safety Googles	Eye Protection from Chemicals Wide Field of Vision Adjustable Elastic Band	30 Nos	
14	Silicon Rubber Tubings (white)	Internal Diameter 6mm	20 metres	
15	Solid Glass Stirring	190 x 6mm	25 Nos	

Special Conditions

- The cover in which the quotation is kept should be superscribed as 'Quotation for the Supply of Glasswares' and should be sealed with full address of the firm noted on the cover.
- Quotation will be received up to 30.10.2023, 10.00 AM.
- Quotation will be opened at 10.30AM on 30.10.2023 in the presence of quotationerspresent if any, at that time.
- Purchase will be strictly in accordance with store purchase rules and the items should be supplied within 1 month from receipt of supply order.
- 5. The rates should be inclusive of GST, Installation, loading, unloading and transportations Charges.
- 6. All rules and regulation concerned to government quotation will be applicable here also.
- 7. The under signed has the full authority to accept or reject any of the quotations without any reason thereof.

Deputy Director of Agriculture
Cum Senior Chemist
State Pesticide Testing Laboratory
Parottukonam, Nalanchira P.O.
Thiruvananthapuram-695015.