



**GOVERNMENT OF KERALA**  
**AGRICULTURE DEVELOPMENT FARMERS' WELFARE DEPARTMENT**  
**STATE PESTICIDE TESTING LABORATORY**  
**THIRUVANANTHAPURAM-695015**

Email-id-[ddaptl.agri@gmail.com](mailto:ddaptl.agri@gmail.com)/[sptltvm.agri@kerala.gov.in](mailto:sptltvm.agri@kerala.gov.in)

Phone No.9383471008

**REQUOTATION NOTICE**

Sealed quotations are invited from authorized dealers/suppliers for the supply of Glasswares listed below for the requirement of this laboratory.

Quotation Number& date	<b>PT(1)184/Q2/2023/1, dt.30.10.2023</b>
Due Date and Time for receipt of quotations	<b>13.11.2023, 10.00 AM</b>
Date and Time for opening of quotations	<b>13.11.2023, 10.30 AM</b>
Date up to which the rates are to remain firm for acceptance	<b>31-03-2024</b>
Designation and address of officer to whom the quotation is to be addressed	Deputy Director of Agriculture, State Pesticide Testing Laboratory, Parottukonam, Nalanchira PO, Thiruvananthapuram-695015
Superscription: Quotation for the <b>Supply of Glasswares</b>	

**Lists of Glasswares to be supplied**

SL No	Name of item	Specification	Quantity Required	Remarks
1	Bottle Top Dispenser	0.5-10ml	1 Nos	
2	Bulb for Pipette	Large	10 Nos	
3	Conical Flask	500ml Borosilicate, Class A NABL Calibrated	5 Nos	
4	Crow Jar	100ml Borosilicate, Class A NABL Calibrated	2 Nos	
5	Gas washing Glass Bottle	250ml Borosilicate, Class A NABL Calibrated	4 Nos	
6	Glass Cleaning Solution		5 Litres x 3 Bottles	

7	Lab Coat	44 inches	10 Nos	
8	Mask	N95 Mild on skin with ultra-soft inner fabric Easy breathing, speaking & optimum protection with >2.5 PM filtration Hypoallergenic fabric, soft elastic ear loops, adjustable nose pin for comfortable and perfect fit	300 Nos	Sample should be supplied along with the quotation
9	Mortar for Mancozeb Analysis	215mm	3 Nos	
10	2 Necked Round Bottom Flask	500ml Borosilicate, Class A Centre Socket-24/29 Side Socket-19/26	3 Nos	
11	Safety Goggles	Eye Protection from Chemicals Wide Field of Vision Adjustable Elastic Band	8 Nos	
12	Silicon Rubber Tubings (white)	Internal Diameter 6mm	20 metres	
13	Solid Glass Stirring Rod	190 x 6mm	25 Nos	

### Special Conditions

1. The cover in which the quotation is kept should be superscribed as '**Quotation for the Supply of Glasswares**' and should be sealed with full address of the firm noted on the cover.
2. Quotation will be received up to 13.11.2023, 10.00 AM.
3. Quotation will be opened at 10.30 AM on 13.11.2023 in the presence of quotationers present if any, at that time.
4. Purchase will be strictly in accordance with store purchase rules and the items should be supplied within 1 month from receipt of supply order.
5. The rates should be inclusive of GST, loading, unloading and transportations Charges.
6. All rules and regulation concerned to government quotation will be applicable here also.
7. The under signed has the full authority to accept or reject any of the quotations without any reason thereof.

Copy to-

1. Notice Board of this office
2. Notice board of office of :
  1. Central Soil Plant Health Centre



*[Handwritten Signature]*  
Deputy Director of Agriculture  
Deputy Director of Agriculture  
Cum Senior Chemist  
State Pesticide Testing Laboratory  
Parottukonam, Nalanchira P.O.  
Thiruvananthapuram-695015.